

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1600	first near correlat\$3 and second near correlat\$3	USPAT	OR	OFF	2005/03/22 09:45
L2	128	first near correlat\$3 and second near correlat\$3 and first near (select\$3 or mux) and second near (select\$3 or mux)	USPAT	OR	OFF	2005/03/22 09:46
L3	56	first near correlat\$3 and second near correlat\$3 and first near (select\$3 or mux) and second near (select\$3 or mux) and symbol	USPAT	OR	OFF	2005/03/22 09:46
L4	1	first near correlat\$3 and second near correlat\$3 and first near (select\$3 or mux) and second near (select\$3 or mux) and symbol and control near unit	USPAT	OR	OFF	2005/03/22 09:46
L5	48	first near correlat\$3 and second near correlat\$3 and first near (select\$3 or mux) and second near (select\$3 or mux) and symbol and control\$3	USPAT	OR	OFF	2005/03/22 09:47
L6	23	first near correlat\$3 and second near correlat\$3 and first near (select\$3 or mux) and second near (select\$3 or mux) and symbol and control\$3 and phase near modulats\$3	USPAT	OR	OFF	2005/03/22 09:47
S3	15	correlat\$3 with phase near modulats\$3 near2 code\$1 and select\$3 with correlat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 13:22
S4	21835	plural\$3 with correlat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 13:22
S5	14	plural\$3 with correlat\$4 and set near4 phase near modulats\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 14:35
S6	220619	CCK symbol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 15:24

Search History 3/22/2005 10:25:35 AM Page 1
C:\Documents and Settings\Wong\My Documents\EST\Workspaces\09989052_1.wsp

S7	3290	CCK symbol and symbol with (select\$3 or choos\$3) with predetermin\$3 with set near3 symbol\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 15:21
S8	3138	CCK symbol and symbol with (select\$3 or choos\$3) with predetermin\$3 with set near3 symbol\$1 and correlat\$3 with each near5 modulats\$4 near code\$1 same (select\$3 or choos\$3) with symbol\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 15:23
S9	3138	CCK symbol and symbol with (select\$3 or choos\$3) with predetermin\$3 with set near3 symbol\$1 and (many or plural\$3 or several or two) near3 correlat\$3 with each near5 modulats\$4 near code\$1 same (select\$3 or choos\$3) with symbol\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 15:23
S10	3138	CCK symbol and symbol with (select\$3 or choos\$3) with predetermin\$3 with set near3 symbol\$1 and (many or plural\$3 or several or two) near3 correlat\$3 with each near5 first near modulats\$4 near code\$1 same (select\$3 or choos\$3) with symbol\$1 and phase near2 modulats\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 15:24
S11	0	CCK near symbol\$1 and symbol with (select\$3 or choos\$3) with predetermin\$3 with set near3 symbol\$1 and (many or plural\$3 or several or two) near3 correlat\$3 with each near5 first near modulats\$4 near code\$1 same (select\$3 or choos\$3) with symbol\$1 and phase near2 modulats\$4 with second	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 15:24
S12	20	CCK near symbol\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 15:26
S13	4	complementary near code near key\$3 near symbol\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 15:26

Search History 3/22/2005 10:25:35 AM Page 2
C:\Documents and Settings\Wong\My Documents\EST\Workspaces\09989052_1.wsp

S14	201	complementary near code near key\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 15:26
S19	16	complementary near code near key\$3 and modulats\$3 near code\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 15:35
S20	64	complementary near code near key\$3 and correlat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 15:35
S21	6	complementary near code near key\$3 and correlat\$4 and set near code\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 15:35
S22	13	complementary near code near key\$3 and correlat\$4 and set near4 code\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 15:42
S32	1	S29 and AM near detection	US-PGPUB; USPAT	OR	OFF	2005/03/04 16:38
S33	30	(plural\$ or many or several) near5 correlat\$4 and (first and second) near set near4 code\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 18:35
S34	2	(plural\$ or many or several) near5 correlat\$4 and (first and second) near set near4 code\$1 and (select\$3 or choos\$3) near3 (max or maximum or largest or highest) with correlat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 18:41
S41	4	(first and second) near set near4 code\$1 and (select\$3 or choos\$3) with symbol\$1 and combin\$3 with (first and second) with result	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 18:44

Search History 3/22/2005 10:25:35 AM Page 3
C:\Documents and Settings\Wong\My Documents\EST\Workspaces\09989052_1.wsp

S42	1	(first and second) near set near4 code\$1 and (select\$3 or choos\$3) with symbol\$1 and combin\$3 with (first and second) with correlat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 18:49
S43	12	correlat\$3 with receiv\$3 near signal with (set or group) with modulats\$3 near code\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 18:49
S44	7	S43 and phase near modulats\$3 with modulats\$3 near code\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 19:05
S45	3	select\$3 with symbol and predetermin\$2 near5 set near4 symbol\$2 with CCK	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 19:21
S46	3	select\$3 with symbol and predetermin\$2 near5 set near4 symbol\$2 same CCK	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/04 19:14
S47	2	((("3305348") or ("4514853"))).PN.	USPAT; USOCR	OR	OFF	2005/03/04 19:21
S48	69	correlat\$3 with modulats\$3 near code\$1 same select\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:03
S49	3	S48 and phase near3 modulats\$3 with second near3 modulats\$3 near code\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:04
S50	3	S48 and phase near3 modulats\$3 same second near3 modulats\$3 near code\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:04

Search History 3/22/2005 10:25:35 AM Page 4
C:\Documents and Settings\Wong\My Documents\EST\Workspaces\09989052_1.wsp

S51	33	S48 and phase near3 modulats3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:04
S52	15	S48 and phase near3 modulats3 with correlats3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 12:05
S53	13	S48 and phase near3 modulats3 with correlats3 with modulats3 near code\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 13:48
S54	126	(set or sequence) near5 modulats3 near code\$1 with (match near filter or correlats3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 13:51
S55	73	(set or sequence) near3 modulats3 near code\$1 with (match near filter\$1) or correlats4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 13:51
S56	42	(set or sequence) near5 modulats3 near code\$1 with (match near filter or correlats3) and (second or another or variation) near4 (match\$3 near filter or correlats4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 14:17
S57	3	(set or sequence) near5 modulats3 near code\$1 with (match near filter or correlats3) and (second or another or variation) near4 (match\$3 near filter or correlats4) with phase near modulats4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 13:53
S58	4	(set or sequence) near5 modulats3 near code\$1 with (match near filter or correlats3) and (second or another or variation) near4 (match\$3 near filter or correlats4) with modulats3 near code\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 14:22

Search History 3/22/2005 10:25:35 AM Page 5
C:\Documents and Settings\jwong\My Documents\EAST\Workspaces\09989052_1.wsp

S59	13	(set or sequence) near5 modulats3 near code\$1 with compar\$3 with signal with modulats3 near code\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 14:27
S60	4	(set or sequence) near5 modulats3 near code\$1 with compar\$3 with signal with modulats3 near code\$1 with select\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 14:26
S61	2	(set or sequence) near5 modulats3 near code\$1 with compar\$3 with receiv\$2 near signal with modulats3 near code\$1 with select\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 14:30
S64	2	(select\$3 or choos\$3) with symbol\$1 same (first and second) near3 (set or sequence) with modulats3 near code\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 14:55
S65	33	(match\$3 or compar\$3) with (receiv\$2 near signal) with (modulats3 near code\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 14:56
S68	1	(match\$3 or compar\$3) with (receiv\$2 near signal) with (modulats3 near code\$1) and (first and second) near3 (modulats3 near code\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:04
S69	1	(match\$3 or compar\$3) with (receiv\$2 near signal) with (modulats3 near code\$1) and (first and second) near4 (modulats3 near code\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:06
S70	4	(match\$3 or compar\$3) with (receiv\$2 near signal) with (modulats3 near code\$1) and phase near modulats3 with modulats3 near code\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:19

Search History 3/22/2005 10:25:35 AM Page 6
C:\Documents and Settings\jwong\My Documents\EAST\Workspaces\09989052_1.wsp

S73	6	(match\$3 or compar\$3) with (receiv\$2 near signal) with (modulats3 near code\$1) and phase near modulats3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:22
S74	24	(first and second) near modulats3 near code\$3 and phase near modulats3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:35
S75	3	(first and second) near phase near modulats3 near (cod\$3 or element\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:37
S76	23	(first and second) near4 phase near modulats3 near (cod\$3 or element\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:37
S77	1709	(first and second) near4 phase near modulats3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:38
S78	56	(first and second) near4 (set\$1 or sequence\$1) near4 phase near modulats3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:38
S81	2	(first and second) near4 (set\$1 or sequence\$1) near4 phase near modulats3 and (compar\$3 or match\$3) same received near signal with code\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:42
S82	1	(first and second) near4 (set\$1 or sequence\$1) near4 phase near modulats3 and (compar\$3 or match\$3) same input near signal with code\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:13

Search History 3/22/2005 10:25:35 AM Page 7
C:\Documents and Settings\jwong\My Documents\EAST\Workspaces\09989052_1.wsp

S83	1	(first and second) near4 (set\$1 or sequence\$1) near4 phase near modulats3 and (compar\$3 or match\$3) same input\$3 near signal with code\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 15:42
S84	1	cck adj receiver with correlation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:14
S85	2	cck adj receiver same correlation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 16:14
S86	6	cck adj receiver and correlation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 17:22
S87	4	cck adj receiver and correlation with select\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/07 17:23
S88	9045	(multiple or plural\$3) with (correlats3 or add\$2) with (mux or multiplexor or select\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 11:50
S89	18	(multiple or plural\$3) with (correlats3 or add\$2) with (mux or multiplexor or select\$2) and cck	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 10:18
S90	4	(multiple or plural\$3) near (correlats3 or add\$2) with (mux or multiplexor or select\$2) and cck	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 10:58

Search History 3/22/2005 10:25:35 AM Page 8
C:\Documents and Settings\jwong\My Documents\EAST\Workspaces\09989052_1.wsp

S91	55	(multiple or plural\$3) near (correlat\$3 or add\$2) with (plural\$3 or many or multiple) near (mux or multiplexor or select\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 10:58
S93	23	(multiple or plural\$3) near (correlat\$3 or add\$2) with (plural\$3 or many or multiple) near3 (mux or multiplexor or select\$2) and phase near modulats3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 11:46
S95	29065	S94 and selector or mux or multiplexor	US-PGPUB; USPAT	OR	OFF	2005/03/08 11:12
S96	29065	S94 and selector or mux or multiplexor	US-PGPUB; USPAT	OR	OFF	2005/03/08 11:12
S97	1	S94 and (selector or mux or multiplexor)	US-PGPUB; USPAT	OR	OFF	2005/03/08 11:24
S98	3	(multiple or plural\$3) near (correlat\$3) near6 (mux or multiplexor or select\$2) and cck	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 11:16
S99	9	(multiple or plural\$3) near (correlat\$3) near6 (mux or multiplexor or select\$2) and select\$3 near3 symbol\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 11:17
S10 1	1	S94 and correlat\$3 with (select\$3 or mux or multiplexor)	US-PGPUB; USPAT	OR	OFF	2005/03/08 11:25
S10 2	6	(multiple or plural\$3) with (correlat\$3 or add\$2) with (mux or multiplexor or select\$2) and chips with PSK near2 modulats3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 11:53
S10 3	63	(multiple or plural\$3) with (correlat\$3 or add\$2) with (mux or multiplexor or select\$2) and PSK near2 modulats3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 11:53
S10 4	16	(multiple or plural\$3) near (correlat\$3 or add\$2) with (mux or multiplexor or select\$2) and PSK near2 modulats3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 11:54

Search History 3/22/2005 10:25:35 AM Page 9
C:\Documents and Settings\Wong\My Documents\EAST\Workspaces\09989052_1.wsp

S10 7	2	(multiple or plural\$3) near (correlat\$3 or add\$2) with receiv\$2 near signal with modulats3 near code\$1 same (mux or multiplexor or select\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 11:56
S10 8	3	(multiple or plural\$3) near (correlat\$3 or add\$2) with receiv\$2 near signal with modulats3 near code\$1 and correlat\$3 with (mux or multiplexor or select\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 12:00
S11 5	1	(correlat\$3 or add\$3 or compar\$3) with receiv\$2 near signal with (multiple or plurality or many) with modulats3 near code\$1 same (mux or multiplexor or select\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 12:06
S11 7	2	(correlat\$3 or add\$3 or compar\$3) with receiv\$2 near signal with modulats3 near code\$1 same (mux or multiplexor or select\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:24
S11 8	128	walsh and cck	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:25
S11 9	62	walsh and cck and correlation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:25
S12 0	39	walsh and cck and correlation and selection	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:25
S12 1	3	walsh and cck and correlation and selection and complex near value	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 13:50
S12 5	12	phase near modulats3 with select\$3	USPAT	OR	OFF	2005/03/08 14:03

Search History 3/22/2005 10:25:35 AM Page 10
C:\Documents and Settings\Wong\My Documents\EAST\Workspaces\09989052_1.wsp

S12 6	77	select\$3 with phase near modulats3 and (combin\$3 or add\$3 or correlat\$3) with symbol\$1	USPAT	OR	OFF	2005/03/08 14:05
S12 7	171	select\$3 with phase near modulats3 and (combin\$3 or add\$3 or correlat\$3) with symbol\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 14:05
S12 8	8	select\$3 with phase near modulats3 and (combin\$3 or add\$3 or correlat\$3) with symbol\$1 and walsh	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/08 14:05